



## TECHNICAL DATA SHEET

Disposable medical face masks: Type II - EN 14683:2019+AC Barrier Protection

### Contact Information:

Producer: "DEORA PLUS" SIA

Tautas street 102, Daugavpils, Latvia, LV-5417

e-mail: [deora@deora.eu](mailto:deora@deora.eu)

webpage: [www.deora.eu](http://www.deora.eu)

TECHNICAL DATA SHEET

Disposable medical face masks: Type II - EN 14683:2019+AC Barrier Protection

## **1. Product Overview**

A procedural mask is intended to prevent the release of potential contaminants from the user into their immediate environment which can also protect the wearer from large droplets, sprays and splashes of bodily fluids. It is easily identifiable by the presence of two ear loops to secure the mask to the face for quick donning.

Procedure masks are used on hospital floors, isolation units, and labor and delivery units, among other areas of the hospital for generally "respiratory etiquette" to prevent clinicians, patients and visitors from spreading germs by talking, coughing, or sneezing.<sup>1,2</sup> These masks may also be used in the emergency department and the intensive care unit. However, they are non-sterile and designed for clean environments which not suitable for use in the operating room.

Our disposable procedural face masks contain 3 layers: a mix of non-woven thermobonded material SpunBel, non woven hydrobonded material AquaSpun that acts as a filter and have a >95% particle filtration efficiency (PFE).

They provide physical barrier that protects both wearers and others from the transfer of respiratory secretions, fluids or other debris and avoid the contamination of bacteria or viruses present in mucus and saliva.

## **2. Specifications**

Product Name: Disposable medical face masks

Color: Light Blue

Type: 3-layer ear loop mask

Adjustable Nose Clips: Yes

Certification: CE Certified

Manufactured: Latvia

Characteristic	Specification			
Materials	Mask Body	Outer Material	SpunBel Polypropylene	
		Filter Layer	AquaSpun Polypropylene	
		Inner Material	SpunBel Polypropylene	
	Nose-wire	Plastic Covered Iron		
	Rounded earloop	Polyester and Spandex		
Description	Shingle pleats rectangular face masks with a shapeable nosepiece and two earloops present, one on each side, in order to hold mask in place			
Dimension	Body Size		Length	175 mm
			Width	90,5 mm
	Length of Earloop		Regular	180 mm
	Length of Nose-wire		90 mm	

## Visual



Packaging Information
50 Masks/carton box (150x100x190mm)

## Additional Information

Storage Condition
Store under cool, clean, and dry conditions. Avoid excessive heat (over 40°C or 104°F)

## TECHNICAL DATA SHEET

Disposable medical face masks: Type II - EN 14683:2019+AC Barrier Protection

TECHNICAL DATA SHEET

Disposable medical face masks: Type II - EN 14683:2019+AC Barrier Protection

**Note:**

1. Single use only
2. Not suitable for harmful gases and steam
3. Not suitable for hypoxic environments, underwater operations or fire fighting